

SCREEDED CONCRETE SURFACE

TIE WIRE SUPPORT FROM TOP ANCHOR BOLTS TO STEEL GRID IN WALL CAVITY

ANCHOR BOLTS SPACING PREDRILLED INTO PANELS

HORIZ/VERT REINFORCEMENT AS PER CODE OR AS SPECIFIED

PANELS SCREWED TO WEB

1/2" (13mm) PLYWOOD FORMING PANELS


NUDURA 8" (203mm) STANDARD FORM UNIT

HORIZONTAL STEEL TIE WIRED TO VERTICALS NEAR TOP OF WALL AS SHOWN

CONTINUOUS CONC. BEAM TO FLOOR CONNECTION

WET SET DOWEL TO MATCH VERTICAL REINFORCEMENT BETWEEN POURS OR AS SPECIFIED

NUDURA ALIGNMENT SYSTEM (MUST BE SHIMMED 3/4" BELOW PLYWOOD TO MAINTAIN STRAIGHTNESS OF FORM)



**DISCLAIMER NOTICE:**  
SPECIFIC INFORMATION  
REQUIRED FOR COMPLIANCE  
WITH LOCAL CODES IS THE  
RESPONSIBILITY OF THE  
DESIGNER



# NUDURA

**INTEGRATED BUILDING TECHNOLOGY**

*Building Value.*

NUDURA 8" (203mm) FORM UNIT  
STC / FIRE WALL DETAILS  
INTERMEDIATE FLOOR CONNECTION  
INTERIM CONSTRUCTION  
METHOD

REV. NO.  
001 KS  
REV. DATE:  
AUGUST  
DRAWN BY:  
T. VAN CLIEAF

DWG NO.  
FW8D2A  
SCALE:  
1 : 8