

FORM PANELS c/w INSERT  
WEBS-CUT TO SUIT FLOOR  
CONNECTION- ADDITIONAL  
FORM SUPPORT AS  
REQUIRED

BRICK VENEER c/w 1"  
(25mm) AIR SPACE  
AND BRICK TIES

WET SET DOWELS FIELD  
BENT INTO SLAB AS  
SPECIFIED

U BRACKET ANCHOR  
INSERT

THROUGH WALL  
FLASHING AS PER  
CODE OR AS SPECIFIED

$\frac{3}{16}$ " (5mm)  
ACRYLIC PARGE COAT

NUDURA WATERPROOF  
MEMBRANE

NUDURA 10" (254mm)  
SITE ASSEMBLED BRICK  
LEDGE FORM UNIT

HORIZ/VERT  
REINFORCEMENT AS PER  
CODE OR AS SPECIFIED

GYPSUM BOARD  
FINISHED/FIRE STOP  
INSTALLED AT JOISTS  
AS PER CODE

COMPOSITE STEEL  
DECK-SLAB AND  
REINFORCEMENT AS  
SPECIFIED

OWSJ

INTERIOR INSULATION  
REMOVED AT JOIST  
LOCATIONS

WET SET DOWELS  
TO MATCH VERTICAL  
REINFORCEMENT  
BETWEEN POURS OR  
AS SPECIFIED

$\frac{1}{2}$ " (13mm) GYPSUM  
BOARD

NUDURA 10" (254mm)  
STANDARD FORM UNIT

**DISCLAIMER NOTICE:**  
SPECIFIC INFORMATION  
REQUIRED FOR COMPLIANCE  
WITH LOCAL CODES IS THE  
RESPONSIBILITY OF THE  
DESIGNER



**NUDURA**

INTEGRATED BUILDING TECHNOLOGY

*Building Value.*

NUDURA 10" (254mm) FORM UNIT  
COMPOSITE STEEL DECK-SLAB  
STEEL JOIST ON EXT. BEARING WALL  
BRICK VENEER FINISH

REV. NO. 004 KS	DWG NO. D10C04
REV. DATE: MARCH 2010	
DRAWN BY: T. VAN CLIEAF	SCALE: 1 : 8

DWG NO. D10C04
SCALE: 1 : 8